Contents Volume 65, 1988

Late Proterozoic glaciation in central-eastern Brazil: synthesis and model
J. Karfunkel (Belo Horizonte, Brazil) and A. Hoppe (Freiburg, F.R.G.) 1
Middle Pleistocene replacement of stenonid horses by caballoid horses — ecological implications
A. Forsten (Helsinki, Finland) 23
Pliocene palaeoclimates: past climates as possible analogues of mid-twenty-first century climate
V. A. Zubakov and I. I. Borzenkova (Leningrad, U.S.S.R.) 35
The ^{14}C dates and $^{13}C/^{12}C$ ratios of soil organic matter as a means of studying the past vegetation in intertropical regions: examples from Colombia (South America)
B. Guillet (Vandoeuvre-Les-Nancy, France), P. Faivre (Vandoeuvre-Les-Nancy), A. Mariotti (Paris, France) and J. Khobzi (Bogota, Colombia) 51
Recent foraminifera tracers of oceanic water movements in the southwestern lagoon of New Caledonia
J. P. Debenay (Dakar, Senegal) 59
Selected palynomorphs from the Lower to Middle Eocene of the South Atlas Border Zone (Morocco) and their environmental significance
G. G. Fechner (Berlin, F.R.G.) 73
Late Quaternary history of continental climate and the Benguela Current off South West Africa
L. Diester-Haass (Mannheim, F.R.G.), K. Heine (Regensburg, F.R.G.), P. Rothe (Mannheim, F.R.G.) and H. Schrader (Bergen, Norway) 81
Ecological zonation during the carbonate transgression of a Late Ordovician rocky shore (northeastern Manitoba, Hudson Bay, Canada)
M. E. Johnson, D. F. Skinner and K. G. MacLeod (Williamstown, MA, U.S.A.) 93
Paleoclimatic significance of the lacustrine Carboniferous deposits in northwest Argentina
C. O. Limarino and S. N. Césari (Buenos Aires, Argentina) 115
Holocene climatic evolution at 22–23°N from two palaeolakes in the Taoudenni area (Northern Mali)
J. Fabre (Grenoble, France) and N. Petit-Maire (Marseille, France) 133
Dietary adaptations and paleoecology of the Late Miocene ruminants from Pikermi and Samos in Greece
N. Solounias (Baltimore, MD, U.S.A.) and B. Dawson-Saunders (Springfield, IL, U.S.A.) 149
Sequence biologique en milieu paradeltaïque, exemple de la Lettenkohle. [Biological sequence in paradeltaic environment, an example taken within the Lettenkohle]
R. Ainardi (Nancy, France) 173
Late Precambrian glacially-related grooved and striated surfaces in the Tillite Group of Central East Greenland
A. C. M. Moncrieff and M. J. Hambrey (Cambridge, U.K.) 183
Distribution des kystes de dinoflagellés dans les sédiments pléistocènes de la marge guinéenne de l'Afrique (EQUAMARGE I, 1983). [Distribution of dinoflagellate cysts in Pleistocene sediments of the Guinean margin of Africa (EQUAMARGE I, 1983)]
M.-T. Morzadec-Kerfourn (Rennes, France) 201
Kimmeridge clay sedimentation — A new cyclic model
W. Oschmann (München, F.R.G.) 217
Lithiotis (Bivalvia) bioherms in the Lower Jurassic of east-central Oregon, U.S.A.
A. L. Nauss and P. L. Smith (Vancouver, B.C., Canada) 253
South Atlantic Paleoceanography by K. J. Hsü and H. J. Weissert — M. B. Cita 269
Storm Depositional Systems — Dynamic Stratigraphy in Modern and Ancient Shallow-Marine Sequences by T. Aigner — W. J. Fritz 270
Paleoalgology: Contemporary Research and Applications by D. F. Toomey and M. H. Nitecki — D. L. Schulte McMenamin and M. A. S. McMenamin 270
Plankton Stratigraphy by H. M. Bolli, J. B. Saunders and K. Perch-Nielsen — W. V. Sliter 271